

| Capacity

40 kg(QS30) 70 kg(QS60) 100 kg(QS90)

| Max Capacity

500 kg/h

The slide rails can be adjusted to the height of the infeed hopper for a seamless and smoother bean discharge.

One side is removable to support and adapt to different models of roaster spout.



Appearance



Color
White / Black

QS30			
Dimensions Machine 120 kg	Main Package 200 kg	Attached Package	
(LxWxH) 1370 x 1000 x 2220 mm	1450 x 1070 x 1345 mm	775 x 770 x 1555 mm	
QS60			
Dimensions Machine 140 kg	Main Package 220 kg	Attached Package	
1370 x 1000 x 2480 mm	1450 x 1070 x 1345 mm	775 x 770 x 1555 mm	
QS90			
Dimensions Machine 160 kg	Main Package 268 kg	Attached Package	
1370 x 1000 x 2740 mm	1450 x 1070 x 1345 mm	775 x 770 x 1795 mm	


Other



Dimensions Of Feeding Hopper


Adjusting the slide rail allows:

- ① height up to 700mm
- ② height up to 875mm



MaxCapacity 500 kg/h
Rated Power 1500 W

Rated Voltage 220 v 50 Hz
Air Suction Volume 50 m³/min





| Max Capacity

3 kg/min

HB-QS3
Destoner

Appearance

1

Color
white / black

Weight
10 kg (net)
12 kg (gross)

Dimensions^(LxWxH)
260 x 488 x 550 mm  Machine Size
600 x 400 x 500 mm  Package Size

2 Specification

Capacity
3 kg

Max Capacity
3 kg/min

Feed hopper capacity
600 kg

Dimensions of Feeding Hopper^(HxW)
189 x 175 mm

Airflow Regulation
Knob adjustment 0-10 steps

Air Suction Volume
1.75 m³/min

Other

3

Rated Voltage
220 V 50 Hz

Rated Power
80 W



| Max Capacity

10 kg/min

HB-QS20
Destoner

1

Appearance

Color
white / black

Weight
35 kg (net)
50 kg (gross)

Dimensions ^(LxWxH)
580 x 840 x 1460 mm  Machine Size
805 x 710 x 1500 mm  Package Size

2

Specification

Capacity
25 kg

Max Capacity
10 kg/min

Dimensions of Feeding Hopper ^(LxHxW)
300 x 275 x 296mm

Airflow Regulation
Knob adjustment 0-10 steps

Air Suction Volume
2.2 m³/min

Other

3

Rated Voltage
220 V 50 Hz

Rated Power
280 W



| Max Capacity

100 kg/h

HB-QS40
Destoner

Appearance

1

Color
black

Weight
85 kg (net)
140 kg (gross)

Dimensions ^(LxWxH)
1180 x 530 x 2020 mm  Machine Size
2070 x 580 x 1340 mm  Package Size

2 Specification

Capacity
62 kg

Max Capacity
100 kg/h

Dimensions of Feeding Hopper ^(HxW)
400 x 500 mm

Air Suction Volume
11 m³/min

Other

3

Rated Voltage
220 V 50 Hz

Rated Power
370 W